

































- Waringer JA, 1996. Phenology and abundance of Ephemeroptera, Plecoptera and Trichoptera caught by emergency traps at the Weidlingbach near Vienna, Austria. *Int. Rev. Hydrobiol.* 81: 63-77.
- Ward JV, Stanford JA, 1982. Thermal responses in the evolutionary ecology of aquatic insects. *Annu. Rev. Entomol.* 27:97-117.
- Wentworth CK, 1922. A scale of grade and class terms for clastic sediments. *J. Geol.* 30:377-392.
- Wiberg-Larsen P, Brodersen KP, Birkholm S, Gron PN, Skriver J, 2000. Species richness and assemblage structure of Trichoptera in Danish streams. *Freshwater Biol.* 43:633-647.
- Wolf B, Zwick P, 1989. Plurimodal emergence and plurivoltinism of Central European populations of *Nemurella pictetii* (Plecoptera: Nemouridae). *Oecologia* 79:431-438.
- Zwick P, 2004. Key to the West Palaearctic genera of stoneflies (Plecoptera) in the larval stage. *Limnologica* 34:315-348.
- Zwick P, 2011. Plecoptera, p. 254-309. In: R. Wagner, J. Marxsen, P. Zwick and E.J. Cox (eds.), *Central European stream ecosystems: the long-term study of the Breitenbach*. Wiley-Blackwell, Weinheim.
- Zwick P, Mendl H, 1989. Notes on Plecoptera (19). *Isoperla lugens* (Kalápalek, 1923) replaces *I. alpicola* Brinck, 1949. *Aquat. Insects* 11:72-72.

Non-commercial use only